

cm_co_services

Table	cm_co_services
Description	Per-CO Services

Column	Format	Description	Definition	Comments
id	integer, primary key	Row identifier	autoincrement	
co_id	integer, foreign key	CO Record ID	cm_cos:id	
cou_id	integer, foreign key	COU Record ID	cm_cous:id	
name	varchar (256)	Name		
description	varchar (256)	Description		
short_label	varchar (32)	Service short label		Intended for use with LDAP attribute options
co_group_id	integer, foreign key	CO Group ID	cm_co_groups:id	If set, access to this service is controlled by the specified group, though the application is ultimately responsible for enforcement
authenticator_id	integer, foreign key	Authenticator ID	cm_authenticators:id	Added v3.3.0
cluster_id	integer, foreign key	Cluster ID	cm_clusters:id	Added v3.3.0
service_url	varchar (256)	Service URL		A clickable link that directs the user to the service
service_label	varchar (1024)	Protocol specific identifier or label of the service, eg SAML Entity ID or OIDC Client ID		Added v3.1.0 Deprecated in v3.2.0, will be removed in v4.0.0 (CO-1595)
contact_email	varchar (128)	Email Address of contact responsible for this Service	RFC 5322 Address	
entitlement_uri	varchar (256)	Entitlement URI associated with this Service	eduPerson entitlement	For authorization purposes, eg: ldap attribute population
visibility	varchar(2)	Visibility of this Service	- CA: CO Admin - CG: CO Group Member (of the specified co_group_id) - CP: CO Person - P: Unauthenticated (Public)	In particular for use generating a user-visible list of Services
identifier_type	varchar (32)	Identifier type associated with this Service	cm_co_extended_types: name	
status	varchar(2)	Status	- A: Active - S: Suspended	