## **Grouper UI - attribute action editor**

You can create, view, edit, delete attribute action in the UI.

## See attribute actions

+ Create new group -	Home > Root > test	> permission_attribute_de	f				
Quick links –	Attribute definition	Attribute definition Edit attribut					
My groups	🛛 🎝 perm	ission_at	tribute	def		More actions -	
My folders	-						
My favorites	Permission attribute de	of for testing					
My services	More ~	More ~					
My activity							
Miscellaneous	Attribute names	Attribute actions	Privileges	More *			
Admin UI							
Lite UI	The following tak	The following table lists all actions associated with this attribute definition					
Browse folders	Filter for: Action nan		A mark + file	ter Reset			
Browse folders 2	Action han	18	Apply filt	Heset			
🖃 🗁 Root	Delete selected at						
\pm 🧰 attestation_folder	Delete selected at	indute actions					
\pm 🧰 etc	0	Action				Choose action	
📧 🧰 root		def				Actions -	
E 🔁 test							
test1 test-group3		delete				Actions	
permission attribute def1		read			Edit attrib		
dis blog entry1	0	view			Delete att	ribute action	
de book		write				Actions -	
© random resource		wind				HOUNDING .	
¢§ resource1							
曫 test-group							
test-loader-group							

You can edit the implying relationship between actions by clicking on the 'Edit attribute action' button as shown in the screenshot below.

+ Create ne	Home > Root > test > per	annission_annission_annission_annission_annission_annission_annission_annission_annission_annission_annission_a
Quick links	- 🌣 delete	
My groups	Edit attribute ac	stion
My folders		
My favorites	Action name:	: delete
My services	Action name.	
My activity	Actions that imply delete:	read
Miscellaneous		view
Admin UI		write
Lite UI		
	Actions that immediately imply delete:	
Browse folders	C Imply delete:	
= 🗁 Root	Actions implied by delete:	read
💻 🗕 🔳 attestation_f	older	view
🗉 🗀 etc		write
🛨 🧀 root		
🖃 🗁 test	Actions immediately implied by delete:	
🖃 😂 test1	implied by delete.	•
쨜 test-g	roup3	
permis	sion_attribute_def1	Save
og blog e	ntry1	
og book		
	m resource	
Ø <sub>0</sub> <sup>o</sup> resour		
불 test-grou		
eff test-load	er-group	

You can create a new attribute action by either clicking on the option in the big blue dropdown on the left top of the screen or by opening any attribute definition and clicking on the Create new attribute action in the More actions dropdown.

+ Create new group	-	Home > New attribute action		
Quick links	-	New attrib	oute action	
My groups My folders My favorites		Attribute definition:	test:permission_attribute_def The attribute definition holds the settings and security for attribute. Each attribute definition can have multiple attribute actions. Every attribute action is associated with one and only one attribute definition.	
My services My activity Miscellaneous		Name of attribute action:	*	
Admin UI Lite UI			Save Cancel	
Browse folders	Q			
<ul> <li></li></ul>				