Best Practices for Federated Application Developers

BestP 4 FedAppDevelopers

- Best Practices for Federated Application Developers
 - Attribute Handling by Service Providers
 - Options
 - Use and Discard (IdPs' Default First Choice)
 - Persist (If You Have a Justified Requirement)
 - Be Provisioned (Bulk, On/Just Before First Access)
 - Tiering or Bundling of Attributes for Service Classes, for uApprove
 - Asymmetry
 - Coding for Option-ality
 - O Discovery: Services (like iTunes U) vs. "True" Federated Apps
 - Representing Permissions for access control
 - Groups
 - Roles & Permissions
 - Ticket/tokens/Roles
 - Help Desk
 - O SPs: How Do We Scale
 - To 100s of IdPs?
 - To Scores of Federations?
- Some Advice for IdPs
- Some Advice for Federations (An InterFed Discussion)

• ..

Best Practices for Federated Application Developers

Attribute Handling by Service Providers

Options

Use and Discard (IdPs' Default First Choice)

Persist (If You Have a Justified Requirement)

Be Provisioned (Bulk, On/Just Before First Access)

Tiering or Bundling of Attributes for Service Classes, for uApprove

Asymmetry

Coding for Option-ality

Discovery: Services (like iTunes U) vs. "True" Federated Apps

Representing Permissions for access control

Groups

Roles & Permissions

Ticket/tokens/Roles

Help Desk

SPs: How Do We Scale

To 100s of IdPs?

To Scores of Federations?

Some Advice for IdPs

Some Advice for Federations (An InterFed Discussion)

•••