

Download InCommon metadata

Jump to:

[Query instead of "download"](#) | [Simulating the legacy style metadata aggregate](#) | [Verifying the metadata signature](#) | [Retrieving Preview metadata](#)

Query instead of "download"

The new InCommon Metadata Distribution Service is based on the Metadata Query (MDQ) protocol. It eliminates the need for a metadata consumer to download the entire metadata aggregate. It significantly reduces system resource overhead and reduces start up time.

There is no more need to download the entire metadata aggregate.

To retrieve metadata using the MDQ-based Metadata Service, visit the new [InCommon Metadata Service Wiki](#).

Simulating the legacy style metadata aggregate

Simulating the legacy aggregate

See [Retrieving metadata aggregate with MDQ](#).

If you previously (before 2020) downloaded the InCommon metadata aggregate and cannot switch over to querying individual entities using the MDQ protocol, the new Metadata Service provides an aggregate endpoint to simulate the legacy InCommon metadata aggregate. The aggregate endpoint is:

```
https://mdq.incommon.org/entities
```

IMPORTANT: the new InCommon Metadata Service has a different signing key from the legacy service. If you had configured your service with the legacy key, make sure to update the metadata signing key. See [obtain an authentic copy of the InCommon metadata signing certificate](#).

Retrieving the IdP-only aggregate

See [Retrieving metadata aggregate with MDQ](#).

InCommon produces an metadata aggregate containing only IdP entities. It enable discovery services to retrieve/cache list of identity providers for display purpose.

The InCommon IdP-only aggregate endpoint is :

```
https://mdq.incommon.org/entities/idps/all
```

About the Export-only aggregate

InCommon produces an export-only aggregate to support inter-federation through the [eduGAIN](#) global R&E inter-federation. To learn more, see the [Export-only metadata aggregate](#) topic.

About the "Fallback" aggregate

See [Using the fallback aggregate](#).

Verifying the metadata signature

To ensure you are retrieving the properly vetted metadata from InCommon, make you should always verify the signature on metadata according to the instructions. **Do not** depend solely on HTTPS encryption for the security of your metadata downloads. To learn more, see [Best practices when consuming InCommon metadata](#).

In this section

- [Export-only metadata aggregate](#)
- [Using the fallback aggregate](#)

Related content

- [Using the fallback aggregate](#)
- [Download InCommon Metadata](#)
- [Metadata signing certificate](#)
- [Signaling Encryption Method Support for a Service Provider](#)
- [Signing and Encryption Keys](#)
- [Configure SimpleSAMLphp to consume InCommon metadata](#)
- [Best practices when consuming InCommon metadata](#)
- [Introduction to Federation Manager](#)
- [Working with SAML metadata](#)
- [Tagging an entity with Research and Scholarship entity attribute](#)

Get help

Can't find what you are looking for?

[help](#) [Ask the community](#)

The InCommon metadata signed using the same metadata signing key and the SHA-256 digest algorithm. To verify the signature on an aggregate, a consumer must [obtain an authentic copy of the InCommon metadata signing certificate](#).

Retrieving Preview metadata

The "preview" MDQ Service environment allows you to validate your service against upcoming changes to the MDQ Service.

See:

- [Locating the preview metadata](#)
- [Configure Shibboleth IdP for Preview MDQ environment](#)
- [Configure Shibboleth SP for the Preview MDQ environment](#)
- [Prefetch an entity with Shibboleth in the Preview MDQ environment](#)
- [Configure other software](#)
- [Metadata signing key for the Preview environment](#)