cm_co_petitions

Table	cm_co_petitions	
Description	Per-CO enrollment petitions	

Column	Format	Description	Definition	Comments
id	integer, primary key	Row identifier	autoincrement	
co_enrollmen t_flow_id	integer, foreign key	CO Enrollment Flow Record ID	cm_co_enrollm ent_flows:id	Enrollment Flow controlling this Petition
co_id	integer, foreign key	CO Record ID	cm_cos:id	Same as co_enrollment_flow:co_id, repeated here to make retrieval by CO easier
cou_id	integer, foreign key	COU Record ID	cm_cous:id	
enrollee_org_ identity_id	integer, foreign key	Org Identity Record ID	cm_org_identiti es:id	Populated if an Org Identity is created by form-based attribute collection during the flow. See also cm_org_identity_source_records:co_petition_id
archived_org _identity_id	integer, foreign key	Archived Org Identity Record ID	cm_org_identiti es:id	If an org identity is replaced during execution of an enrollment flow, this will hold the original org identity
enrollee_co_ person_id	integer, foreign key	CO Person Record ID	cm_co_people: id	Populated if a CO Person is created by form-based attribute collection during the flow
enrollee_co_ person_role_id	integer, foreign key	CO Person Role Record ID	cm_co_person _roles:id	Populated if a CO Person Role is created by form-based attribute collection during the flow
petitioner_co _person_id	integer, foreign key	CO Person Record ID of person initiating request	cm_co_people: id	
sponsor_co_ person_id	integer, foreign key	CO Person Record ID of person sponsoring request	cm_co_people:	
approver_co_ person_id	integer, foreign key	CO Person Record ID of person approving request	cm_co_people:	
co_invite_id	integer, foreign key	CO Invite ID created as part of this Petition	cm_co_invites:	This field is not persistant, and is only non-NULL when an invite is pending.
vetting_reque st_id	integer, foreign key	Vetting Request triggered as part of this Partition	cm_vetting_req uests:id	Added in Registry v4.1.0
authenticated _identifier	varchar (256)	Authenticated identifier received as part of user authentication		Basically the contents of \$REMOTE_USER
reference_ide ntifier	varchar (40)	Reference Identifier returned from an ID Match service, when Match Type is External	TAP ID Match API	Added in Registry v4.1.0
petitioner_tok en	char(48)	For unauthenticated enrollments, token used to verify petitioner requests		
enrollee_token	char(48)	For unauthenticated enrollments, token used to verify enrollee requests		
return_url	varchar (256)	Upon completion of enrollment, URL to redirect to (superseding redirect_on_finalize)		Must match a whitelisted value in the associated Enrollment Flow configuration.
approver_co mment	varchar (256)	Comment from approver upon reviewing petition		Added v3.3.0, intended to be suitable for display to enrollee.

status	varchar(2)		D2: Duplicate I: Invited N: Denied P: Pending PA: Pending Approval PC: Pending Confirmat ion PV: Pending Vetting X: Declined Y: Approved	Tentative
--------	------------	--	--	-----------