

Grouper UI

Wiki Home	Grouper Release Announcements	Grouper Guides	Grouper Deployment Guide	Community Contributions	Internal Developer Resources
---------------------------	---	--------------------------------	--	---	--

If you are using Grouper 2.2 or above you are in the right place to learn about the UI!

A bit of Grouper UI history:

- Grouper 2.2 and above features a UI which makes Grouper easy to use by end users and administrators.
- Prior to version 2.4.0, it co-exists with the legacy Admin UI and the [Lite UIs](#), and is installed as the default UI (default URL) when you [install the UI](#).
- In Grouper 2.4, the Admin UI and Lite UIs have been removed (though they can be [added back from a custom patch](#)).

Grouper 2.5 offers additional flexible options:

- Grouper 2.5+ features a [Custom UI](#) that can be used per group, on top of the UI described below.
- Grouper 2.5.43+ features [Grouper Custom Templates via GSH](#) that can be used for custom inputs to the UI

This page describes the Grouper 2.2+ UI.

- [Grouper configuration in the database and UI](#)
- [Grouper UI - Assign/view permissions](#)
- [Grouper UI - attribute action editor](#)
- [Grouper UI - attribute name editor](#)
- [Grouper UI - Auditing](#)
- [Grouper UI - Check version](#)
- [Grouper UI - Composites](#)
- [Grouper UI - Delete Folder](#)
- [Grouper UI - Folder attribute view and edit](#)
- [Grouper UI - Membership View Advanced Options](#)
- [Grouper UI - subject API diagnostics](#)
- [Grouper UI - Templates](#)
- [Grouper UI - Types on objects](#)

- [Other screens not captured here](#)
- [General information](#)
- [Main screen](#)
 - [Search](#)
 - [Tree browser](#)
 - [Recent activity](#)
 - [Quick links](#)
 - [Favorites](#)
 - [Groups I manage](#)
- [My groups](#)
 - [Groups I manage](#)
 - [My memberships](#)
 - [Groups I can join](#)
- [My folders](#)
 - [Folders I manage](#)
 - [Folders with groups I manage](#)
 - [Folders with attributes I manage](#)
- [My favorites](#)
- [My services](#)
- [Search](#)
- [New group](#)
- [Group screen](#)
 - [Group add members](#)
 - [Group member action](#)
 - [Group member edit membership](#)
 - [Group member trace membership](#)
 - [Group menu](#)
 - [Copy group](#)
- [See Also](#)

Other screens not captured here

- [Subject API diagnostics](#)
- [Grouper loader](#)
- [Grouper attribute name editor](#)
- [Deprovisioning](#)
- [Attestation](#)

General information


The Grouper 2.2+ UI is based on ajax. The URLs change for bookmarking and back button, but the page does not reload (so the tree can remain in a constant state)

Main screen

The main screen is a dashboard that shows a search, quick links, a tree control to browse the repository, recent tasks that the user has performed, and small windows that the user can use to find what they need in Grouper


Search

There is a search box at the top right of the main 2.2 UI screen where you can search for entities, groups, folders, attribute definitions, or attribute names




Tree browser

The tree on the left shows folder, groups, attribute definitions and attribute names. If you click on an item in the tree it will go to the main screen for that item. The folder is ajax based, it will retrieve the data as you click on items. It will only show a certain configurable number of items in a folder so there are not performance problems. The tree is secure, only items the user can see will be displayed. As edits to the registry occur, or as screens are navigated, the tree on the left will not change by default, although there is a property to set to enable this. To repopulate the tree and navigate to the object on the page, click the double arrow icon next to the Browse Folders heading. To refresh the tree without navigating to the current object, refresh the page.




Recent activity

The main screen shows several line items of recent activity that the user has done. The user might need to do a similar function again and can easily find the required objects.



Quick links


The quick links on the left of the UI help the user quickly find objects they need to use. "My groups" shows groups the user can manage. "My folders" shows folders that the user manages. "My favorites" shows objects the user has tagged to be favorites. "My services" shows folders that are marked as services that the user is a member of or an admin of.




Favorites

On the object screens (as of v2.2.0 this is the Group screen, Folder screen, and Entity screen), you can use the "More actions" button to add or remove that object from favorites. A short list of favorites is available on the main screen widgets, and a link is provided to see all of the favorites. If there are objects that the user uses frequently, "favorites" can help reduce the time needed to find those objects in the registry.

Here is how to add/remove an object from favorites



Favorites widget on the main screen



Favorites screen



Home > My favorites

My favorites

Filter for:

[Apply filter](#)

[Reset](#)

Favorite path	Favorite name
etc:: grouperUi	 grouperUiUserData
aStem	 aStem0

Show:

Showing 1-2 of 2 · [First](#) | [Prev](#) | [Next](#) | [Last](#)

Groups I manage

There is a widget on the main UI, a page linked from the widget "View all groups", and a link from the "Quick links".

Quick links on main page:

favorite groups to an attribute assignment.

Groups I manage

aGroup
aStem

grouperUiUserData
etc : grouperUi

sysadmingroup
etc

webServiceActAsGroup
etc

webServiceClientUsers
etc

group1
test

group2
test

[View all groups](#)

My serv

[View all s](#)

My groups

These tabs show groups that the user is a member of, has privileges on, or can join

Groups I manage

This tab gives a paged, sorted, and searchable view into the groups the user can manage. These are groups that the use has UPDATE or ADMIN privileges on.

Home > My groups

My groups

Groups I manageMy membershipsGroups I can join

The following table lists all groups in which you are allowed you to manage the group's membership list.

Filter for: Apply filter Reset

Folder	Group name
apetro-unicorn : friends	java-devs
apps : issueTracker	users
aStem	library
atest	testGroup
chris	christest

Create new group

Quick links

My groups

My folders

My favorites

My services

Admin UI

Lite UI

Browse Folders

Root

apetro-unicorn

apps

aStem

atest

chris

My memberships

The "my memberships" tab shows groups that the user is a member of either directly or indirectly. Note, if you have privileges to leave one of the groups (ADMIN, UPDATE, OPTOUT), you will see a button that allows you to leave the group.

Home > My groups

My groups

Groups I manageMy membershipsGroups I can join

The following table lists all groups in which you are a member, whether directly or indirectly.

Filter for: Apply filter Reset

Folder	Group name
apetro-unicorn : friends	java-devs
apps : issueTracker	users
atest	testGroup
chris	christest
chris	testGroup
Grouper Administration	externalSubjectInviters
Grouper Administration : grouperUi	grouperUiUserData

Create new group

Quick links

My groups

My folders

My favorites

My services

Admin UI

Lite UI

Browse Folders

Root

apetro-unicorn

apps

aStem

atest


chris

community

fgac

Groups I can join

The "groups I can join" tab shows groups that the user is not a member of but which they are allowed to add themselves to. This means they have ADMIN, UPDATE, or OPTIN privileges on the group.




My folders

These tabs show folders the user can manage, folders with groups the user manages, or folders with attributes the user manages

Folders I manage

This tab gives a paged, sorted, and searchable view into the folders the user can manage. These are folders that the user has any privileges on.



Folders with groups I manage

This tab shows folders that contains groups that the user manages. This means the user has UPDATE or ADMIN on the groups

group

Home > My folders

My folders

Folders I manage | Folders with groups I manage | Folders with attributes I manage

The following table lists the folders containing groups that I manage

Filter for: All Folder name Apply filter Reset

Folder path	Folder name
apps	issueTracker
Root	atest
Root	chris
Group Administration	grouperUI
Root	test
test	chris

Folders with attributes I manage

This tab shows folders that contain attributes that the user manages. This means the user has ATTR_UPDATE or ATTR_ADMIN on the attributes

Home > My folders

My folders

Folders I manage | Folders with groups I manage | Folders with attributes I manage

The following table lists the folders containing attributes that I manage


Filter for: All Folder name Apply filter Reset

Folder path	Folder name
apps	issueTracker
Root	atest
users : penn	mchzyer

Showing 1-3 of 3 · First | Prev | Next | Last


My favorites

The "my favorites" screen shows all the objects in Grouper that the user has marked as a favorite. Initially this is just Groups, Folders, and Entities (e.g. people), but eventually will also cover attributes and permissions. This list is paged, sorted, and searchable. This screen is accessed from the Quick Links list on the left of the UI.




My services

The "my services" screen shows all the services in Grouper (a special attribute on a folder) where the folder contains groups that the user manages or is a member of. This list is paged, sorted, and searchable. This screen is accessed from the Quick Links list on the left of the UI.



Search

The search function of the new UI is accessed from the top right of the UI. This will submit to the search screen. This search screen can filter in 6 areas: all object types, groups, folders, entities, attribute definitions, attribute names. The results are organized by object type and paged.



test

Logged in as [Chris Hyzer](#) · [Log out](#)

+ Create new group

Quick links

[My groups](#)
[My folders](#)
[My favorites](#)
[My services](#)
[Admin UI](#)
[Lite UI](#)

Browse Folders

[-] Root

[-] apetro-unicorn

[-] friends

java-devs

+

 apps

+

 aStem

+

 atest

+

 chris

+

 community

+

 fgac

+

 Grouper Administration

+

 groupSync_v2_0_0

Home > Search results

Search results

Search for:

stem

Filter for:

Everything

Search

Reset

Folder	Name
Root	aStem
aStem	aFolder32
fgac : apps : secureUserData	schemas
QS University of Bristol : Non Academic Departments	Information Systems and Computing
aStem	library
users : duke : shilen	students system of record
users : penn2 : brunk	brunk_group includes
users : penn2 : brunk	brunk_group system of record
users : penn2 : brunk	brunk_group system of record and includes
users : penn2 : brunk	brunk_students_group system of record

New group

The "new group" screen creates a new group in a specified folder in the Grouper namespace. The "new group" button is in the upper left of the UI. The folder combobox will default to whatever folder is being accessed, but can be changed to another folder. The combobox will only show result folders where the user is allowed to create groups. Generally the group name and group ID are the same, so to save time and help with consistency, as the user types in the group name, the ID will be populated with the same text unless the user chooses to have them differ.

Logged in as [Chris Hyzer](#) · [Log out](#)

+ Create new group

Quick links

My groups

My folders

My favorites

My services

Admin UI

Lite UI

Browse Folders

Root

apetro-unicon

friends

java-devs

apps

aStem

aFolder32

library

atest

chris

community

Home > New group

New group

Create in this folder:

aStem:aFolder32

Enter a folder name or [search for a folder where you are allowed to create new groups](#).

Group name:

Name is the label that identifies this group, and might change.

Group ID:

☐ Edit the ID

ID is the unique identifier for this group. It should be short and simple, and might have character restrictions. The ID should rarely change, if ever.

Description:

Description contains notes about the group, which could include: what the group represents, why it was created, etc.

Show advanced properties

Save

Cancel

In advanced properties, a "role" can be chosen as the group type, and privileges can be assigned to EveryEntity so that all users can VIEW or READ a group.

Hide advanced properties ^

Assign privileges to everyone:

☐ ADMIN

☐ UPDATE

☐ READ

☐ VIEW

☐ OPTIN

☐ OPTOUT

☐ ATTRIBUTE READ

☐ ATTRIBUTE UPDATE

Select which privileges should be public for everyone. This is the same as assigning a privilege to EveryEntity.

Type:

☒ Group

☐ Role

This could be a Group or a Role. A Group is a collection of entities. A Role is a Group which can also hold permission information centrally for the application.

Save

Cancel

New folder

The "new folder" screen creates a new folder in a specified folder in the Grouper namespace. The "new folder" button is in the "new group" drop down in the upper left of the UI. The parent folder combobox will default to whatever folder is being accessed, but can be changed to another folder. The combobox will only show result folders where the user is allowed to create folders. Generally the folder name and folder ID are the same, so to save time and help with consistency, as the user types in the folder name, the ID will be populated with the same text unless the user chooses to have them differ.

Logged in as [Chris Hyzer](#) · Log out

+ Create new group

Quick links

My groups

My folders

My favorites

My services

Admin UI

Lite UI

Browse Folders

Root

apetro-unicon

friends

java-devs

apps

aStem

aFolder32

library

atest

chris

community

Home > New folder

New folder

Create in this folder:
Enter a folder name or [search for a folder where you are allowed to create new folders](#).
Enter 'Root' for the top level folder

Folder name:
Name is the label that identifies this folder, and might change.

Folder ID: ☐ Edit the ID
ID is the unique identifier for this stem. It should be short and simple, and might have character restrictions. The ID should rarely change, if ever.

Description:
Description contains notes about the folder, which could include: what the folder represents, why it was created, etc.

Save

Cancel

Group screen

The group screen is reached when a group is clicked on the UI. This could be in the menu, search results, or other screens that show groups. By default the group screen shows the group name and description and the members. The members tab of the group screen is sorted, paged, and filterable. It shows immediate or effective members of the group which could be groups or non-group entities.

Logged in as [Chris Hyzer](#) · Log out

+ Create new group

Quick links

My groups

My folders

My favorites

My services

Admin UI

Lite UI

Browse Folders

Root

apetro-unicon

friends

java-devs

apps

aStem

aFolder32

library


atest

chris

community

fgac

Home > Root > test > testGroup

 testGroup

+ Add members

More actions

Description of testGroup

More

Members

Privileges

More

The following table lists all entities which are members of this group.

Filter for:

All members

Member name

Apply filter

Reset

Remove selected members

<input type="checkbox"/> Entity name	Membership	Actions
<input type="checkbox"/> Chris	Indirect	Actions
<input type="checkbox"/> Chris Hubing	Direct	Actions
<input type="checkbox"/> Chris Hyzer	Direct, Indirect	Actions
<input type="checkbox"/> christest	Direct	Actions
<input type="checkbox"/> GrouperSysAdmin	Direct	Actions
<input type="checkbox"/> Peter	Direct	Actions

Group add members

The "add members" button in the upper right will show a hidden panel which has a combobox to find members to add.

The screenshot shows the 'testGroup' interface. On the left is a sidebar with 'Quick links' (My groups, My folders, My favorites, My services, Admin UI, Lite UI) and 'Browse Folders' (Root, apetro-unicon, friends, java-devs, apps, aStem, aFolder32, library, atest, chris). The main area has a breadcrumb 'Home > Root > test > testGroup' and a '+ Add members' button. Below the breadcrumb is a search bar for 'Member name or ID' with a hint 'Enter an entity name or ID, or [search for an entity](#)'. There are radio buttons for 'Assign these privileges: Default privileges' (selected) and 'Custom privileges'. An 'Add' button is present, followed by the text 'or import a list of members'. Below this is a 'Description of testGroup' section with a 'More' dropdown. A 'Members' tab is selected, showing a table of members. The table is titled 'The following table lists all entities which are members of this group.' and has a 'Filter for:' dropdown set to 'All members', a 'Member name' search box, and 'Apply filter' and 'Reset' buttons. A 'Remove selected members' button is at the bottom.

The combobox will show results of searches in subject sources. Groups are returned which the user can READ. The control can be controlled with the keyboard.

This screenshot shows the 'testGroup' interface with the 'Add members' button clicked, revealing a search dropdown. The dropdown lists search results for 'john', including various system users (e.g., 'users:penn2:johnrp:johnrpAdmins') and external users (e.g., '[unverifiedInfo] John P. Mitchell - University of Alaska'). The main area shows the 'Members' tab with a table of members. The table is titled 'The following table lists all entities which are members of this group.' and has a 'Filter for:' dropdown set to 'All members', a 'Member name' search box, and 'Apply filter' and 'Reset' buttons. A 'Remove selected members' button is at the bottom.

Members can be added with default privileges (member), or they can be given other privileges in addition or instead

More actions

Member name or ID:

John Smith

Enter an entity name or ID, or [search for an entity](#).

Assign these privileges:

☐ Default privileges

☒ Custom privileges

☒ MEMBER

☐ ADMIN

☐ UPDATE

☐ READ

☐ VIEW

☐ OPTIN

☐ OPTOUT

☐ ATTRIBUTE READ


☐ ATTRIBUTE UPDATE

Add

or import a list of members .

Description of testGroup

The user could use a modal dialog instead of the combobox. Note:a modal dialog can be used for any combobox in the new Grouper UI.



Group member action

For each member displayed on the Group screen, there is an action pull down which will show buttons available to the user depending on the row and the privileges of the user using the UI.

MembersPrivilegesMore ▾

The following table lists all entities which are members of this group.

Filter for: All members ▾Member nameApply filterReset

Remove selected members

<input type="checkbox"/> Entity name ▾	Membership	
<input type="checkbox"/> Chris	Indirect	Actions ▾
<input type="checkbox"/> Chris Hubing	Direct	Actions ▾
<input type="checkbox"/> Chris Hyzer	Direct, Indirect	Actions ▾
<input type="checkbox"/> christest	Direct	
<input type="checkbox"/> GrouperSysAdmin	Direct	
<input type="checkbox"/> Peter	Direct	Actions ▾
<input type="checkbox"/> Shilen Patel	Direct	Actions ▾
<input type="checkbox"/> Tom Barton	Direct	Actions ▾

Edit membership and privileges
Revoke membership
Trace membership

Group member edit membership

From the member action drop down, you can edit the membership. If it is a direct membership you can assign start and end dates

Chris Hyzer

Membership and privileges in testGroup group

Unique ID: 0b5949edd3bf4b65a0ab7e9ce97a4cf9

Name: Chris Hyzer

Description: [unverifiedInfo] Chris Hyzer - Penn [externalUserID] mchyzer@upenn.edu

☒ Chris Hyzer **is a direct member** of the testGroup group

☒ Chris Hyzer **is an indirect member** of the testGroup group

Start date:

The date on which this entity's membership begins.

End date:

The date on which this entity's membership expires.

Save

Cancel

Trace

Group member trace membership

The membership trace is available from the actions drop down on the members tab of the group screen. You can see the path that a user has to the overall group. The trace screen will explain nested groups, composite groups, and privilege inheritance (when dealing with privileges).

The diagram illustrates the membership paths for Chris Hyzer in the **overallgroup**. It is structured as a tree with three main branches, each starting with the statement "Chris Hyzer is a **direct member** of".

- Branch 1:**
 - Chris Hyzer is a **direct member** of
 - test:leftfactor
 - which is a **composite factor** intersect with rightfactor of
 - test:overallgroup
- Branch 2:**
 - Chris Hyzer is a **direct member** of
 - test:rightfactor
 - which is a **composite factor** intersect with leftfactor of
 - test:overallgroup
- Branch 3:**
 - Chris Hyzer is a **direct member** of
 - test:testGroup
 - which is a **direct member** of
 - test:leftfactor
 - which is a **composite factor** intersect with rightfactor of
 - test:overallgroup

Each path ends at the **test:overallgroup** node, which is highlighted in light blue. The nodes are connected by lines, and the entire diagram is set against a light blue background.

Group menu

testGroup

roup

+ Add members

More actions ▾

Privileges

More ▾

able lists all entities which are members of this group.

s ▾

Member name

App

Members

Membership
Indirect
Direct
Direct, Indirect
Direct
Direct

Actions ▾

Actions ▾

- Add to my favorites
- Leave group
- Copy group
- Delete group
- Edit group
- Edit composite
- Move group
- Export members
- Import members
- Invite external users
- Remove all members
- View audit log
- Admin UI

Copy group

You can select "Copy group" from the group menu to copy a group and optionally its members, privileges, and attributes to another folder

[Home](#) > [Root](#) > [test](#) > testGroup

testGroup

Copy group

New group name:

Name is the label that identifies this group, and might change.

New group ID:

ID is the unique identifier for this group. It should be short and simple, and must be all lowercase with no spaces or special characters. The ID must be unique within this folder, and should rarely change.

Copy into this folder:

Enter a folder name or [search for a folder where you are allowed to create new groups](#).

☒ Copy attributes?

If you select this option, all custom attributes will be copied to the new group. If you do not have read access to all attributes in the group, you will get a privilege error.

☒ Copy list memberships of the group?

If you select this option, all members of the group in the default list along with any custom lists will be copied to the new group. If you do not have read access to any of the custom lists, you will get a privilege error.

☒ Copy privileges of the group?

If you select this option, all privileges of the group will be copied to the new group. If you do not have read access to any of the privileges, you will get a privilege error.

☒ Copy list memberships where the group is a member of other groups?

If you select this option and the group is a member of other groups, the new copied group will be added to the other groups' membership list. If you do not have access to add members to the other groups, you will get a privilege error.

☒ If you select this option and the group has privileges to other groups or folders, the new copied group will also be given privileges to those other groups or folders. If you do not have access to add privileges to the other groups or folders, you will get a privilege error.

If you select this option and the group has privileges to other groups or folders, the new copied group will also be given privileges to those other groups or folders. If you do not have access to add privileges to the other groups or folders, you will get a privilege error.

[Copy](#)

[Cancel](#)

See Also

[Grouper UI Installation - Configuring the Grouper UIs](#)

[LITE UIs](#)